



CERTIFICATE NUMBER
14-gd1300008-PDA

DATE
31 Dec 2014

ABS TECHNICAL OFFICE
Gdynia Engineering Department

CERTIFICATE OF DESIGN ASSESSMENT

This is to certify that a representative of this Bureau did, at the request of

ALWO SPOLKA Z.O.O

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

Product: **Fan, Centrifugal Series, Non-Sparking**

Model: **WPM and WPM-EX**


This Product Design Assessment (PDA) Certificate 14-gd1300008-PDA, dated 31/Dec/2014 remains valid until 01/Jan/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

AMERICAN BUREAU OF SHIPPING


Jaroslaw Kondracki
Engineer



NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by the terms and conditions as contained in ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

ALWO SPOLKA Z.O.O

UL. NA PRZELAJ 34

TORUN

Poland 87-116

Telephone: 56 648 91 61

Fax: 56 648 92 68

Email: alwo@ino.com.pl

Web: <http://www.alwo.com.pl>



Tier: 3 - Type Approved, unit certification not required

Product: Fan, Centrifugal Series, Non-Sparking

Model: WPM and WPM-EX

Intended Service:

Fans for marine and offshore applications in non-hazardous and hazardous areas.

Description:

Marine centrifugal WPM and WPM-EX fans are destined for operation in ventilation systems of seagoing ships with unrestricted cruising area as well as offshore objects. The fans may be used as an exhaust or supply fans and be installed inside the compartments. WPM fans are of compact, sturdy construction and equipped with high-efficient impeller with backward-curved blades.

The fans can have non-sparking construction and, in applications with certified safe electric motors and equipment, can be installed in the hazardous areas.

Rating:

Nominal diameters: 125, 160, 200, 250, 315, 400, 450.

Impeller speed: 1 - 1450 rpm (50Hz), 2 - 2900 rpm (50Hz), 3 - 1750 rpm (60Hz), 4 - 3500 rpm (60Hz)

Executions:

- ordinary (without sign);

- Ex - non-sparking.

Positions: LO, PO, L2, P2, L4, P4, L6, P6.

Housing material: carbon steel / PA2 aluminum sheets, welded.

Impeller material: PA2 aluminum sheets, welded.

Service Restriction:

Unit Certification is not required for this product. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

Comments:

The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.

1) For non-sparking fan applications:

- the electric motor and other electrical equipment are to be of certified safe type in accordance with 4-8-3/27 of ABS Steel Vessel Rules;

- the impeller and housing are to be made of aluminum, as per 4-8-3/11.3.3(ii) of ABS Steel Vessel Rules.

2) Protection screens of not more than 13mm (0.5 in) square mesh are to be fitted in the inlet and outlet of the ventilation openings either by fan vendor or shipyard, as per 4-8-3/1.1.2 of ABS Steel Vessel Rules.

Notes/Drawing/Documentation:

Drawing No. ALWO C1-02, MARINE CENTRIFUGAL FANS WPM, Revision: -, Pages: 1

Drawing No. DTR II 950-01, MANUAL INSTRUCTION Marine Centrifugal Fans Type WPM, WPM Ex, Revision: -, Pages: 1

Drawing No. W1672 00-00, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 01-00, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 01-01, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 01-02, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 01-03, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 01-04, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 02-00, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 03-01, WPM 200A.4 P0, Revision: 0, Pages: 1

Drawing No. W1672 03-02, WPM 200A.4 P0, Revision: 0, Pages: 1

ALWO SPOLKA Z.O.O

UL. NA PRZELAJ 34

TORUN

Poland 87-116

Telephone: 56 648 91 61

Fax: 56 648 92 68

Email: alwo@ino.com.pl

Web: <http://www.alwo.com.pl>



Tier: 3 - Type Approved, unit certification not required

Terms of Validity:

This Product Design Assessment (PDA) Certificate 14-gd1300008-PDA, dated 31/Dec/2014 remains valid until 01/Jan/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

STANDARDS

ABS Rules:

ABS Rules for Building and Classing Steel Vessels (2014) 1-1-4/7.7, 1-1-A 3 & 4, 4-8-3/11, 4-8-3/13.1;
ABS Rules for Building and Classing Offshore Support Vessels (2014) 1-1-4/7.7, 1-1-A 3 and 4, 4-8-3/11, 4-8-3/13.1;
ABS Rules for Building and Classing Steel Vessels Under 90 Meters (295 Feet) in Length (2014) 1-1-A 3 and 4, 4-6-3/11.7, 4-6-3/11.3.1;
ABS Rules for Building and Classing Mobile Offshore Drilling Units (2014) 1-1-4/9.7, 1-1-A 2 and 3, 4-3-3/9.7, 4-3-3/9.3.1
ABS Rules for Building and Classing Facilities on Offshore Installations (2014) 1-1-4/9.7, 1-1-A 2 and 3, 3-6/15, 3-6/17;
ABS Rules for Building and Classing Steel Barges (2014) 1-1-A 3 & 4, 4-1-3/1.

National:

NA

International:

IACS Req., Rev.6 - F29.3.3(iii) Non-Sparking Fans

Government:

NA

EUMED:

NA

OTHERS:

NA